

1 EXTERIOR ELEVATION @ DRIVE-THRU WINDOW
SCALE ¾" = 1'-0"



2 DRIVE-THRU WINDOW SECTION
SCALE ¾" = 1'-0"



3 INTERIOR ELEVATION @ DRIVE-THRU WINDOW
SCALE ¾" = 1'-0"

TYPICAL DRIVE-UP PHARMACY DETAILS



4 SECTION AT DRIVE-UP PHARMACY
SCALE ¼" = 1'-0"



5 DRIVE-UP PHARMACY PLAN DETAIL
SCALE ¼" = 1'-0"

KEYED NOTES:

1. OUTLINE OF DRIVE-UP WINDOW.
2. 6" CONCRETE PAVING PROVIDE EXPANSION AND CONTROL JOINTS.
3. 36" H FLEXIBLE DELINEATOR POST. FASTEN TO CONCERTE WITH BOLTS (NO ADHESIVE FASTENING).
4. YELLOW PAINT STRIPE
5. EXPANSION JOINT.
6. PREFINISHED COMPOSITE METAL PANEL AWNING WITH TURNBUCKLES. COLOR TO MATCH FRONT CANOPY FASCIA PANELS. 2
7. N/A
8. 14"L X 2½" DIA. PVC SLEEVE W/ SEALED COVER SET VERTICALLY IN CURB FOR DRIVE-UP SENSOR. SEE ELECTRICAL DRAWINGS. DRIVE-THRU SENSOR FURNISHED AND INSTALLED BY ELECTRICAL CONTRACTOR.
9. TOOLED CONTROL JOINT.



6 PARTIAL PLAN AT DRIVE-THRU WINDOW
SCALE ¾" = 1'-0"



7 EXTERIOR ELEVATION
SCALE ¼" = 1'-0"



9 EXTERIOR ELEVATION
SCALE ¾" = 1'-0"



8 EXTERIOR ELEVATION
SCALE ¾" = 1'-0"

KEYED NOTES:

1. #5 REBAR
2. INSULATED B.R. GLASS & INSULATION ¼" X 4" ALUMINUM FRAME
3. TRIM FRAME. SEAL CONTINOUS EXCEPT AT WEEP HOLES.
4. (2) 36" H SURFACE-MOUNTED FLEXIBLE DELINEATOR POST BY "FLEX-STAKE". FASTEN TO CONCRETE WITH BOLTS (NO ADHESIVE FASTENING).
5. CALL BUTTON
6. CUSTOMER MICROPHONE
7. CUSTOMER SPEAKER
8. FINISHED WALL BY G.C.
9. PROVIDE 4" WIDE VOID IN WALL FROM ABOVE CEILING TO BELOW COUNTER FOR WIRE CHASE. STOP CORNER FURRING BELOW COUNTER FOR ACCESS TO KNEE SPACE. COORDINATE W/ELEC. DRAWINGS.
10. OUTLINE OF DRAWER EXTENTION (18").
11. LINTEL (AS REQUIRED) BY GEN. CONTR. COORDINATE W/ STRUCTURAL DWGS.
12. DRYWALL RETURN TO WINDOW FRAME BY GEN. CONTR.
13. TRANSACTION DRAWER IS PART OF E.F. BAVIS WINDOW.
14. PLASTIC LAMINATED COUNTER.
15. TWO (2) 20A. 120V CIRCUITS FOR DRIVE-THRU WINDOW AUDIO SYSTEM AND DRIVE ALERT. MOUNT JUNCTION BOX 1'-6" A.F.F. INSIDE DRIVE-THRU WINDOW UNIT.
16. TWO CAT 5 CABLES TERMINATED W/ RJ45 JACKS RUNNING BACK TO TELEPHONE SYSTEM.
17. DRIVE-ALERT CHIME LOCATION. SEE ELECTRICAL DRAWINGS FOR LOCATION OF SENSOR.
18. DRIVE-UP SENSOR ENCLOSED IN 2½" DIA. PVC, 14" LONG, W/CAP FURNISHED AND INSTALLED BY ELECTRICAL CONTRACTOR.

GENERAL NOTES:

GENERAL CONTRACTOR:

SHALL PROVIDE WINDOW AND COUNTER AS MANUFACTURED BY E.F. BAVIS AND ASSOCIATES, INC. ALSO, GEN. CONTRACTOR SHALL PROVIDE WALL OPENING, MODULAR ALL-IN-ONE WINDOW UNIT (BY E.F. BAVIS). LINTELS AS REQUIRED AND SPECIFIED BY ARCHITECT. INSTALL WINDOW AS SPECIFIED, AND FINISH UP TO THE WINDOW AND COUNTERTOP UNITS. CONTRACTOR SHALL ENSURE THAT WALL OPENING IS PLUMB AND SQUARE. OPENING SHALL BE OF A MINIMUM DIMENSION OF 5'-0" WIDE x 5' 3¼" HIGH, WITH A TOLERANCE OF NO MORE THAN ½" LARGER IN EITHER HEIGHT OR WIDTH DIMENSION.

ELECTRICAL CONTRACTOR:

SHALL PROVIDE ALL BOXES, OUTLETS, WIRING, AND DRIVE-THROUGH ALARM & SENSOR AS NOTED. BREAKERS CONTROLLING EQUIPMENT SHALL BE MARKED WITH THE NAME OF THE EQUIPMENT CONTROLLED BY THAT BREAKER IN THE BREAKER BOX. VERIFY COMPUTER AND ADDITIONAL REQUIREMENTS BY WALGREENS.

SPECIFICATIONS:

GLASS: ⅞" INSULATED, BULLET RESISTANT GLASS. ALL BULLET RESISTANT GLASS MUST HAVE THIRD PARTY CERTIFICATION TO EITHER THE CURRENT "NIJ LEVEL II-A" OR "U.L. 752 LEVEL I" STANDARD.

FRAME: MODULAR WINDOW SYSTEM BY E.F. BAVIS AND ASSOCIATES, INC. FINISH CONSISTING OF U.V.-STABLE POWDER COAT TO BE COORDINATED TO MATCH STORE- FRONT COLOR. CONTRACTOR TO VERIFY BEFORE ORDERING PHARMACY WINDOW & DRAWER SYSTEM. FOR CLEAR ANODIZED STOREFRONTS, ORDER POWDER COAT "ASA 70 GRAY".

PLASTIC LAMINATE: FORMICA #909-58, BLACK MATTE FINISH OR EQUIVALENT SUPPLIED AND INSTALLED BY E.F. BAVIS FOR COUNTERTOP, TOP, SIDE, BACK PANELS.

AUDIO: AUDIO SYSTEM INTERFACE TO PHONE SYSTEM TO BE BY E.F. BAVIS AND ASSOCIATES, INC. USING UNIVERSAL TELEPHONE/AUDIO. SEE ELECTRICAL DRAWINGS.

NOTE:
COORDINATE EQUIPMENT INSTALLATION WITH THE ACCOUNT COORDINATOR FOR WALGREENS AT E.F. BAVIS AND ASSOCIATES, INC., AT 513-677-0500, EXT. 101. ALLOW 60 DAY LEAD TIME REQUIRED FOR DELIVERY.

Camburas & Theodore, Ltd.
Architecture | Planning | Interiors | Engineering
2454 E. Dempster St., Des Plaines, IL
Tel (847) 298-1525 Fax (847) 298-0228
www.camburasandtheodore.com

PROJECT NO. 91126746

DRIVE-UP PHARMACY DETAILS

GENERAL CONTRACTOR SHALL:

CROSS REFERENCE THIS DRAWING WITH THE LATEST SET OF DRAWINGS PROVIDED BY THE ARCHITECT, AND SHALL VERIFY ALL DIMENSIONS AND DETAILS FOR EXACTNESS.

PROVIDES E.F. BAVIS AND ASSOCIATES, INC. CAPTIVE CARRIER TRANS-TRAX SYSTEMS. CONTRACTOR SHALL PROVIDE ALL OPENINGS, POWER AND ACCESS PANELS NECESSARY FOR INSTALLATION OF BAVIS EQUIPMENT. SEE ENGINEERING DRAWINGS FOR POWER REQUIREMENTS.

PROVIDE ALL SEALING AROUND THE WINDOW USING THE SEAL SUPPLIED BY "E.F. BAVIS". DO NOT SEAL WEEP HOLES.

COORDINATE WITH "E.F. BAVIS AND ASSOCIATES, INC." FIELD COORDINATOR TO ENSURE CLEAR INTERPRETATION OF THIS DRAWING AND TO DISCUSS MODE OF EQUIPMENT INSTALLATION.

SEEK APPROVAL FROM 'E.F. BAVIS' ENGINEERING OR WALGREENS ACCOUNT COORDINATOR AT 513-677-0500, EXT. 101 FOR ANY DEVIATION FROM THE DETAILS SHOWN ON THE DRAWINGS.

WHEN ORDERING E.F. BAVIS WINDOW, IDENTIFY WALL THICKNESS FOR WINDOW FRAME ATTACHMENT. EXTERIOR WALL PLANE AT DRIVE-THRU MASONRY OPENING SHALL BE FLUSH FOR WINDOE FRAME. STEP BULL NOSE OF WAINSCOT DETAIL TO ACCOMDATE FRAME LIP. SEE EXTERIOR ELEVATIONS

IMPORTANT NOTE:

VERIFY FINISHED FLOOR AND DRIVE LEVEL RELATIONSHIP. MAX. DIFFERENCE OF 6" ALLOWED FOR PROPER DRAWER USAGE.

CONTACT E.F. BAVIS FOR CLARIFICATION ON THIS POINT, IF NEEDED.

NLD HOLDINGS HUDSON, LLC.
50 S. 6TH ST. SUITE 1480
MINNEAPOLIS, MN 55402

Walgreens
Facilities Planning And Design 106 Wilmot Rd., Deerfield, IL 60015
Tel (847) 940-2500

NO.	DATE	BY	DESCRIPTION	CONST
3	7/26/11	SD	ISSUE FOR CONSTRUCTION	
2	7/26/11	SD	OWNER COMMENT REVISIONS	
2	6/22/11	SD	ISSUE FOR PERMIT & WAG CHECKSET	
1	6/13/11	SD	ISSUE FOR CLIENT REVIEW	

REVISIONS

CERTIFICATION AND SEAL

STORE NUMBER 15121

PROJECT NAME
WALGREENS
141 CARMICHAEL ROAD
HUDSON, WI

DRAWING TITLE
STANDARD DETAILS & SPECIFICATIONS

CADD PLOT:	SCALE:	DRAWING NO.
VOID PLOT:	DRAWN BY: SD	A4.4
SUPERSEDES PLAN DATED:	DATE: 4/8/11	
	REVIEWED BY:	OF DWGS.

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF THE ARCHITECT, AND THE SAME MAY NOT BE DUPLICATED, USED OR DISCLOSED WITHOUT THE WRITTEN CONSENT OF THE ARCHITECT. COPYRIGHT: CAMBURAS & THEODORE, LTD.